

IEEE TRANSACTIONS ON POWER ELECTRONICS

A PUBLICATION OF THE IEEE POWER ELECTRONICS SOCIETY



FEBRUARY 2020

VOLUME 35

NUMBER 2

ITPEE8

(ISSN 0885-8993)

LETTERS

A Leakage-Inductor Parameter Compensation Method for Paralleled Current-Fed Isolated DC/DC System	<i>Y. Zhang, Z. Wang, Y. W. Li, N. Hou, and M. Cheng</i>	1160
Optimal Design of Diode-Bridge Bidirectional Solid-State Switch Using Standard Recovery Diodes for 500-kV High-Voltage DC Breaker	<i>X. Zhang, Z. Yu, Z. Chen, B. Zhao, and R. Zeng</i>	1165
A Nine-Level T-Type Packed U-Cell Inverter	<i>D. Niu, F. Gao, P. Wang, K. Zhou, F. Qin, and Z. Ma</i>	1171
DC-Current Injection With Minimum Torque Ripple in Interior Permanent-Magnet Synchronous Motors	<i>F. Baneira, J. Doval-Gandoy, A. G. Yepes, and O. López</i>	1176
Cascaded MVDC Integration Interface for Multiple DERs With Enhanced Wide-Range Operation Capability: Concepts and Small-Signal Analysis	<i>X. Li, M. Zhu, Y. Li, and X. Cai</i>	1182
High Power Density 48–12 V DCX With 3-D PCB Winding Transformer	<i>G. Li and X. Wu</i>	1189
Real-Time Maximum Torque per Ampere Control of Brushless DC Motor Drive With Minimum Torque Ripple	<i>A. Khazaei, Hossein A. Zarchi, and G. R. A. Markadeh</i>	1194
Subtraction-Mode Switched-Capacitor Converters With Parasitic Loss Reduction	<i>J. Jiang, X. Liu, C. Huang, W.-H. Ki, Philip K. T. Mok, and Y. Lu</i>	1200

PAPERS

Papers with Active Content

An Enhanced Multiple Harmonics Analysis Method for Wireless Power Transfer Systems	<i>Y. Fang, B. M. H. Pong, and R. S. Y. Hui</i>	1205
Minimizing Ripples of Inductor Currents in Coupled SIDO Boost Converter by Shift of Gate Pulses	<i>Nupur and S. Nath</i>	1217
Model Predictive Voltage and Power Control of Islanded PV-Battery Microgrids With Washout-Filter-Based Power Sharing Strategy	<i>Y. Shan, J. Hu, M. Liu, J. Zhu, and J. M. Guerrero</i>	1227

(Contents Continued on Page 1157)

<i>High-Power Converters</i>	
Analysis and Control of Modular Multilevel Converter With Split Energy Storage for Railway Traction Power Conditioner	<i>P. Guo, Q. Xu, Y. Yue, F. Ma, Z. He, A. Luo, and J. M. Guerrero</i> 1239
Modified Auxiliary-Resonant Commutated Pole Applied in a Three-Phase Dual-Active Bridge DC/DC Converter	<i>J. Voss and R. W. D. Doncker</i> 1256
Single-Stage Bidirectional Buck–Boost Inverters Using a Single Inductor and Eliminating the Common-Mode Leakage Current	<i>A. A. Khan, Y. W. Lu, W. Eberle, L. Wang, U. A. Khan, M. Agamy, and H. Cha</i> 1269
A Device-Level Transient Modeling Approach for the FPGA-Based Real-Time Simulation of Power Converters	<i>H. Bai, H. Luo, C. Liu, D. Paire, and F. Gao</i> 1282
Active Magnetizing Current Splitting ZVS Modulation of a 7 kV/400 V DC Transformer	<i>T. Guillod, D. Rothmund, and J. W. Kolar</i> 1293
Three-Legged High-Gain Phase-Modulated DC–AC Converter for Mitigation of Device Capacitance Induced Ringing Voltage	<i>N. Kummari and S. Chattopadhyay</i> 1306
A Three-Phase Dual-Active-Bridge DC–DC Converter With Reconfigurable Resonant Network for Efficient Wide Voltage Range Operation	<i>A. Z. Khan and K. H. Loo</i> 1322
An Improved Phase-Shifted-Carrier Technique for Hybrid Modular Multilevel Converter With Boosted Modulation Index	<i>C. Xu, L. Lin, T. Yin, and J. Hu</i> 1340
High-Power Nanosecond Pulse Generators With Improved Reliability by Adopting Auxiliary Triggering Topology	<i>J. Yan, S. Shen, and W. Ding</i> 1353
Direct Thrust Force Control of Primary Permanent-Magnet Linear Motors With Single DC-Link Current Sensor for Subway Applications	<i>W. Wang, Y. Feng, Y. Shi, M. Cheng, W. Hua, and Z. Wang</i> 1365
Modulation Scheme for the Bidirectional Operation of the Phase-Shift Full-Bridge Power Converter	<i>M. Escudero, D. Meneses, N. Rodriguez, and D. P. Morales</i> 1377
Resonant Inductance Design and Loss Analysis of a Novel Resonant DC Link Inverter	<i>E. Chu, H. Xie, J. Bao, Z. Chen, and Y. Kang</i> 1392
<i>Power Quality and Utilities</i>	
A Harmonic Compensation System With Embedded Load Observer for Micro-Grids in the Islanded Mode of Operation	<i>S. M. Kaviri, M. Pahlevani, P. K. Jain, and A. Bakhshai</i> 1406
Energy Storage and POPI Networks in Power Processing Systems	<i>S. Singer, Y. Beck, and L. Martinez-Salamero</i> 1425
<i>EMI/EMC</i>	
Characterization Method of Radiated Magnetic Field Based on Integrated Antenna Measurement Applied to Power Module Technologies	<i>G. Vine, P.-E. Vidal, and J.-M. Dientot</i> 1440
Time–Frequency Characteristics Research of Common Mode Current in PWM Motor System	<i>S. Cao, F. Niu, X. Huang, S. Huang, Y. Wang, K. Li, and Y. Fang</i> 1450
An Argument for the Relationship Between Spectral Spreading and Probability Spreading for EMI-Reduction in DC–DC Converter	<i>A. Dove, J. Naudé, and I. Hofsjær</i> 1459
<i>Renewable Energy</i>	
Symmetrical PLL for SISO Impedance Modeling and Enhanced Stability in Weak Grids	<i>D. Yang, X. Wang, F. Liu, K. Xin, Y. Liu, and F. Blaabjerg</i> 1473
Two-Variable Admittance Model for D-PMSG-Based Wind Turbine and Stability Criterion Based on Magnitude and Phase Contour Plot	<i>X. Zou, X. Du, and H.-M. Tai</i> 1484
Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs	<i>X. Tang, C. Zou, T. Wik, K. Yao, Y. Xia, Y. Wang, D. Yang, and F. Gao</i> 1499
A Novel Control Strategy for Improving the Performance of a Nearly Zero Energy Building	<i>E. Tsioumas, N. Jabbour, M. Koseoglou, and C. Mademlis</i> 1513
A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC–DC Converter With Coupled Inductor	<i>Y. Zhang, H. Liu, J. Li, and M. Sumner</i> 1525
A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs	<i>Y. Zhang, W. Zhang, F. Gao, S. Gao, and D. J. Rogers</i> 1536
Simplified Resonant Parameter Design of the Asymmetrical CLLC-Type DC Transformer in the Renewable Energy System via Semi-Artificial Intelligent Optimal Scheme	<i>J. Huang, X. Zhang, and B. Zhao</i> 1548

Modularized Differential Power Processing Architecture Based on Switched Capacitor Converter to Virtually Unify Mismatched Photovoltaic Panel Characteristics	<i>M. Uno, M. Yamamoto, H. Sato, and S. Oyama</i>	1563
An Isolated Modular Multilevel Converter (I-M2C) Topology Based on High-Frequency Link (HFL) Concept	<i>C. Liu, C. Liu, G. Cai, H. Ying, Z. Zhang, R. Shan, Z. Pei, and X. Song</i>	1576
Improvement of Frequency Regulation in VSG-Based AC Microgrid Via Adaptive Virtual Inertia	<i>X. Hou, Y. Sun, X. Zhang, J. Lu, P. Wang, and J. M. Guerrero</i>	1589
Thermoelectric Energy Conversion System With Multiple Inputs	<i>K.-I. Hwu, Y.-T. Yau, and M.-L. Hsieh</i>	1603
Input-Independent and Output-Series Connected Modular DC–DC Converter With Intermodule Power Balancing Units for MVdc Integration of Distributed PV	<i>X. Li, M. Zhu, M. Su, J. Ma, Y. Li, and X. Cai</i>	1622
<i>Low-Power Converters</i>		
A Lithium-Ion Battery Balancing Circuit Based on Synchronous Rectification	<i>Y. Shang, S. Zhao, Y. Fu, B. Han, P. Hu, and C. C. Mi</i>	1637
Three Phase Current-Fed Semi Dual Active Bridge DC–DC Converter With Hybrid Operating Mode Control	<i>D. Chen, D. Sha, and T. Sun</i>	1649
A Nine-Level Inverter for Low-Voltage Applications	<i>Y. Zhang, Q. Wang, C. Hu, W. Shen, D. G. Holmes, and X. Yu</i>	1659
Variable-Parameter T-Circuit-Based IPT System Charging Battery With Constant Current or Constant Voltage Output	<i>Y. Chen, M. Li, B. Yang, S. Chen, Q. Li, Z. He, and R. Mai</i>	1672
Multi-Resonance-Core-Based Dickson Resonant Switched-Capacitor Converters With Wide Regulation	<i>S. Li, Z. Li, S. Zheng, W. Xie, Y. Zheng, and K. M. Smedley</i>	1685
A Four-Switch Three-Phase AC–DC Converter With Galvanic Isolation	<i>J. Khodabakhsh and G. Moschopoulos</i>	1699
Applying Stray Inductance Model to Study Turn-off Current in Multi-Turn Loop of Shallow Transient Electromagnetic Systems	<i>L. Liu, L. Qiao, L. Liu, Z. Geng, Z. Shi, and G. Fang</i>	1711
A 12- or 48-V Input, 0.9-V Output Active-Clamp Forward Converter Power Block for Servers and Datacenters	<i>X. Zhang, B. Nguyen, A. Ferencz, T. Takken, R. Senger, and P. Coteus</i>	1721
<i>Power Electronic Drives</i>		
A Direct Redundancy Approach to Fault-Tolerant Control of BLDC Motor With a Damaged Hall-Effect Sensor	<i>M. Aqil and J. Hur</i>	1732
Port Controlled Hamilton With Dissipation-Based Speed Control of IPMSM Drive	<i>M. N. Uddin, Z. Zhai, and I. K. Amin</i>	1742
Diagnosis and Tolerance of Common Electrical Faults in T-Type Three-Level Inverters Fed Dual Three-Phase PMSM Drives	<i>X. Wang, Z. Wang, Z. Xu, J. He, and W. Zhao</i>	1753
Zynq Implemented Luenberger Disturbance Observer Based Predictive Control Scheme for PMSM Drives	<i>L. He, F. Wang, J. Wang, and J. Rodríguez</i>	1770
Parallel Predictive Torque Control for Induction Machines Without Weighting Factors	<i>F. Wang, H. Xie, Q. Chen, S. A. Davari, J. Rodríguez, and R. Kennel</i>	1779
A Novel Space-Vector Modulation Method for Nine-Switch Converter	<i>L. Pan, J. Zhang, J. Zhang, Y. Pang, B. Wang, K. Wang, and D. Xu</i>	1789
<i>Passive Components and Materials</i>		
An Overview of Capacitive DC-Links-Topology Derivation and Scalability Analysis	<i>H. Wang, H. Wang, G. Zhu, and F. Blaabjerg</i>	1805
Fast and Accurate Thermal Modeling of Magnetic Components by FEA-Based Homogenization	<i>G. S. López, A. D. Expósito, J. Muñoz-Antón, J. Ángel O. Ramírez, and R. P. López</i>	1830
Excellent Tunable DC Bias Superposition Characteristics for Manganese–Zinc Ferrites	<i>G. Wu, Z. Yu, K. Sun, R. Guo, B. Wang, X. Jiang, L. Li, and Z. Lan</i>	1845
<i>Discrete and Integrated Semiconductors</i>		
Accurate Temperature Estimation of SiC Power mosfets Under Extreme Operating Conditions	<i>A. Tsibizov, I. Kovačević-Badstübner, B. Kakarla, and U. Grossner</i>	1855
Impedance-Oriented Transient Instability Modeling of SiC mosfet Intruded by Measurement Probes	<i>Z. Zeng, X. Zhang, F. Blaabjerg, and L. Miao</i>	1866
Adaptive Multi-Level Active Gate Drivers for SiC Power Devices	<i>S. Zhao, A. Dearien, Y. Wu, C. Farnell, A. U. Rashid, F. Luo, and H. A. Mantooth</i>	1882

<i>Diagnostics in Power Electronics</i>	
Application of EMR Signature in Health Assessment and Monitoring of IGBT-Based Converters	1899
. R. Biswas and A. Routray	
Fault Diagnosis and Tolerance Control of Five-Level Nested NPP Converter Using Wavelet Packet and LSTM	1907
. S. Ye, J. Jiang, J. Li, Y. Liu, Z. Zhou, and C. Liu	
Detection and Classification of Turn Fault and High Resistance Connection Fault in Permanent Magnet Machines Based on Zero Sequence Voltage	1922
. R. Hu, J. Wang, A. R. Mills, E. Chong, and Z. Sun	
<i>Control in Power Electronics</i>	
Robust Quasi-Predictive Control of <i>LCL</i> -Filtered Grid Converters	1934
. T. Dragičević, C. Zheng, J. Rodriguez, and F. Blaabjerg	
Plug-and-Play Control of the Virtual Infinite Capacitor	1947
. J. Lin and G. Weiss	
Model Predictive Control for Dual-Active-Bridge Converters Supplying Pulsed Power Loads in Naval DC Micro-Grids	1957
. L. Chen, S. Shao, Q. Xiao, L. Tarisciotti, P. W. Wheeler, and T. Dragičević	
Constrained Modulated Model-Predictive Control of an <i>LC</i> -Filtered Voltage-Source Converter	1967
. C. Zheng, T. Dragičević, B. Majmunović, and F. Blaabjerg	
Cooperative Regulation of Imbalances in Three-Phase Four-Wire Microgrids Using Single-Phase Droop Control and Secondary Control Algorithms	1978
. E. Espina, R. Cárdenas-Dobson, M. Espinoza-B., C. Burgos-Mellado, and D. Sáez	
Inductor Saturation Compensation With Resistive Decoupling for Single-Phase Controlled VSC Systems	1993
. Z. Özkan and A. M. Hava	
Balanced Power Device Currents Based Modulation Strategy for Full-Bridge Three-Level DC/DC Converter	2008
. D. Liu, Y. Wang, F. Deng, and Z. Chen	
Research on Vector Control Strategy of Surface-Mounted Permanent Magnet Synchronous Machine Drive System With High-Resistance Connection	2023
. J. Hang, M. Xia, S. Ding, Y. Li, L. Sun, and Q. Wang	
Control of Smart Transformer Under Single-Phase to Ground Fault Condition	2034
. R. Zhu and M. Liserre	
Single-Inductor Dual-Input Triple-Output Buck–Boost Converter With Clockless Shortest Power Path Control Strategy for IoT Nodes	2044
. C. Wang, K. Zhao, Z. Li, and Q. Xiong	
Elimination of the Interaction of the Converters in Switch-Linear Hybrid Envelope Tracking Power Supplies	2053
. Y. Wang, X. Ruan, Q. Jin, H. Xi, X. Xiong, Y. Leng, and Y. Li	
Direct Power Flow Controller—A New Concept in Power Transmission	2067
. Y. Zhang, G. Lu, W. A. Khan, Y. Zhang, and Q. Zhu	
Distortion-Minimizing Flux Observer for IPMSM Based on Frequency-Adaptive Observers	2077
. H.-S. Kim, S.-K. Sul, H. Yoo, and J. Oh	
Highly Effective Cell Equalization in a Lithium-Ion Battery Management System	2088
. M. Koseoglou, E. Tsioumas, N. Jabbour, and C. Mademlis	
Design of Gray Wolf Optimizer Algorithm-Based Fractional Order PI Controller for Power Factor Correction in SMPS Applications	2100
. K. C. and Umamaheswari M. G.	
Control-Oriented Modeling of Wireless Power Transfer Systems With Phase-Shift Control	2119
. F. Chen, H. Garnier, Q. Deng, M. K. Kazimierczuk, and X. Zhuang	
Passivity-Based Design of Plug-and-Play Current-Controlled Grid-Connected Inverters	2135
. A. Akhavan, H. R. Mohammadi, J. C. Vasquez, and J. M. Guerrero	
Model Predictive Flux Control With Cost Function-Based Field Weakening Strategy for Permanent Magnet Synchronous Motor	2151
. Z. Zheng and D. Sun	
Internal Dynamics Stabilization of Single-Phase Power Converters With Lyapunov-Based Automatic-Power-Decoupling Control	2160
. H. Yuan, S. Li, S.-C. Tan, and S. Y. R. Hui	
An Ideal DC Transformer for Active DC Distribution Networks Based on Constant-Transformation-Ratio DABC	2170
. X. Wang, Y. Peng, J. Chai, Y. Xia, W. Wei, and M. Yu	
Instantaneous Flux and Current Control for a Three-Phase Dual-Active Bridge DC–DC Converter	2184
. J. Hu, S. Cui, S. Wang, and R. W. D. Doncker	
A Dual Half-Bridge <i>LLC</i> Resonant Converter With Magnetic Control for Battery Charger Application	2196
. Y. Wei, Q. Luo, X. Du, N. Altin, A. Nasiri, and J. M. Alonso	
Robust Predictive Current Control of PMLSM With Extended State Modeling Based Kalman Filter: For Time-Varying Disturbance Rejection	2208
. R. Yang, M. Wang, L. Li, G. Wang, and C. Zhong	
Robust ZAD Sliding Mode Control for an 8-Phase Step-Down Converter	2222
. V. Repecho, D. Biel, and R. Ramos-Lara	
