

IEEE TRANSACTIONS ON POWER ELECTRONICS

A PUBLICATION OF THE IEEE POWER ELECTRONICS SOCIETY



MARCH 2020

VOLUME 35

NUMBER 3

ITPEE8

(ISSN 0885-8993)

LETTERS

Compact Sandwiched Press-Pack SiC Power Module With Low Stray Inductance and Balanced Thermal Stress	2237
..... <i>Y. Chang, H. Luo, F. Iannuzzo, A. S. Bahman, W. Li, X. He, and F. Blaabjerg</i>	
Measurement of Large-Signal COSS and COSS Losses of Transistors Based on Nonlinear Resonance	2242
..... <i>M. S. Nikoo, A. Jafari, N. Perera, and E. Matioli</i>	
A 5.8-GHz High-Power and High-Efficiency Rectifier Circuit With Lateral GaN Schottky Diode for Wireless Power Transfer ... <i>K. Dang, J. Zhang, H. Zhou, S. Huang, T. Zhang, Z. Bian, Y. Zhang, X. Wang, S. Zhao, K. Wei, and Y. Hao</i>	2247
An Efficiency-Aware Cooperative Multicharger System for Photovoltaic Energy Harvesting Achieving 14% Efficiency Improvement	2253
..... <i>J. Jeong, M. Shim, J. Maeng, I. Park, and C. Kim</i>	
Design and Implementation of Luenberger Model-Based Predictive Torque Control of Induction Machine for Robustness Improvement	2257
..... <i>L. Yan and X. Song</i>	
A Practical Core Loss Estimation Method for Three-Phase Three-Level Grid-Connected Inverters	2263
..... <i>R. Zhao, C. Wang, P. C. Loh, Q. Yan, H. Xu, and F. Blaabjerg</i>	

PAPERS

Papers with Active Content

Stability Analysis of Power Systems With Multiple STATCOMs in Close Proximity	2268
..... <i>C. Li, R. Burgos, B. Wen, Y. Tang, and D. Boroyevich</i>	
<i>High-Power Converters</i>	
Redistributed Pulsewidth Modulation of MMC Battery Energy Storage System Under Submodule Fault Condition	2284
..... <i>F. Gao, X. Gu, Z. Ma, and C. Zhang</i>	
Single-Phase AC-DC-AC Three-Level Three-Leg Converter With Reduced Switch Count	2295
..... <i>A. E. L. da Costa, N. Rocha, C. B. Jacobina, and E. L. L. Fabricio</i>	
Current Control of a Seven-Level Voltage Source Inverter	2308
..... <i>A. Bahrami, M. Narimani, M. Norambuena, and J. Rodriguez</i>	
Optimization of <i>LCL</i> Filter With Integrated Intercell Transformer for Two-Interleaved High-Power Grid-Tied Converters	2317
..... <i>K.-B. Park, F. D. Kieferndorf, U. Drafenik, S. Pettersson, and F. Canales</i>	

(Contents Continued on Page 2233)

Control Techniques for the Back-to-Back Neutral-Point Clamped Converter in Asynchronous Operation	M.-J. Tsai, M.-J. Chao, and P.-T. Cheng	2334
Topology and Control of a Four-Level ANPC Inverter	K. Wang, Z. Zheng, and Y. Li	2342
Control and Experiment of a TLC-MMC Hybrid DC–DC Converter for the Interconnection of MVDC and HVDC Grids	S. Cui, J. Hu, and R. W. De Doncker	2353
A Unidirectional Insulated AC–DC Converter Based on the Hexverter and Multipulse-Rectifier	G. Lambert, A. Costabeber, P. Wheeler, and Y. R. De Novaes	2363
An Active Capacitor Voltage Balancing Method for Seven-Level Hybrid Clamped (7L-HC) Converter in Motor Drives	H. Tian and Y. W. Li	2372
Control and Experimental Validation of the Series Bridge Modular Multilevel Converter for HVDC Applications	C. M. Diez, A. Costabeber, F. Tardelli, D. Trainer, and J. Clare	2389
A Switched Capacitive Filter-Based Harmonic Elimination Technique by Generating a 30-Sided Voltage Space Vector Structure for IM Drive	R. R, K. R. Ramachandran, A. K. Yadav, K. Gopakumar, L. Umanand, and K. Matsuse	2402
Control and Admittance Modeling of an AC/AC Modular Multilevel Converter for Railway Supplies	L. Bessegato, K. Ilves, L. Harnefors, S. Norrga, and S. Östlund	2411
A Hierarchical Energy Balance Control Method for M3C Based on Injecting Output Frequency Circulating Currents ...	J. Ma, M. S. A. Dahidah, V. Pickert, and J. Yu	2424
Realization of High-Stability Flat-Top Pulsed Magnetic Fields by a Bypass Circuit of IGBTs in the Active Region	S. Zhang, Z. Wang, T. Ding, H. Xiao, J. Xie, and X. Han	2436
Advanced Discontinuous Modulation for Thermally Compensated Modular Smart Transformers	Y. Ko, V. Raveendran, M. Andresen, and M. Liserre	2445
An Improved Three-Phase Buck Rectifier Topology With Reduced Voltage Stress on Transistors	J. Lei, S. Feng, J. Zhao, W. Chen, P. Wheeler, and M. Shi	2458
Arm Current Balancing Control for Modular Multilevel Converters Under Unbalanced Grid Conditions	J. Wang, Y. Tang, and X. Liu	2467
New Expandable Switched-Capacitor/Switched-Inductor High-Voltage Conversion Ratio Bidirectional DC–DC Converter	S. M. Fardahar and M. Sabahi	2480
<i>Power Quality and Utilities</i>		
An Enhanced Static Compensator With DC-Link Voltage Shaping Method	Y.-T. Jeon, C. D. Townsend, H. D. Tafti, E. R. Ramos, G. G. Farivar, J.-H. Park, and J. Pou	2488
High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience	K. Song, W. Mingli, S. Yang, Q. Liu, V. G. Agelidis, and G. Konstantinou	2501
<i>EMI/EMC</i>		
Modeling and Experimental Assessment of the EMI Characteristics of Switching Converters With Power Semiconductor Filters	J. W.-T. Fan, J. P.-W. Chow, W.-T. Chan, K. Zhang, A. Relekar, K.-W. Ho, C.-P. Tung, K.-W. Wang, and H. S.-H. Chung	2519
Capacitive Coupling in EMI Filters Containing T-Shaped Joint: Mechanism, Effects, and Mitigation	B. Liu, R. Ren, F. (Fred) Wang, D. Costinett, and Z. Zhang	2534
<i>Renewable Energy</i>		
Fast Approach for Battery Impedance Identification Using Pseudo-Random Sequence Signals	J. Sihvo, D.-I. Stroe, T. Messo, and T. Roinila	2548
Multisource Switched Capacitor Based Boost Multilevel Inverter for Photovoltaic-Based Systems	S. Ramaiah, N. Lakshminarasamma, and M. K. Mishra	2558
Modulation for the AVC-HERIC Inverter to Compensate for Deadtime and Minimum Pulsewidth Limitation Distortions	Z. Tang, Y. Yang, M. Su, T. Jiang, F. Blaabjerg, H. Dan, and X. Liang	2571
Inductorless Synchronized Switch Harvesting Using a Piezoelectric Oscillator	M. Lallart, W.-J. Wu, L. Yan, and S.-W. Hung	2585
Novel Mesoscale Electrothermal Modeling for Lithium-Ion Batteries	Y. Xie, W. Li, X. Hu, C. Zou, F. Feng, and X. Tang	2595

A Dual-Active-Bridge-Based Fully ZVS HF-Isolated Inverter With Low Decoupling Capacitance	S. Chakraborty and S. Chattopadhyay	2615
Bridgeless Cuk-Derived Single Power Conversion Inverter With Reactive-Power Capability	B. Han, J.-S. Lai, and M. Kim	2629
HB and FB MMC Based Onshore Converter in Series-Connected Offshore Wind Farm	G. Guo, H. Wang, Q. Song, J. Zhang, T. Wang, B. Ren, and Z. Wang	2646
A Push-Pull Parallel Resonant Converter-Based Bidirectional IPT System	L. Zhao, D. J. Thrimawithana, U. K. Madawala, and A. P. Hu	2659
<i>Low-Power Converters</i>		
High-Efficiency Three-Level DC–DC Converter With Reduced Circulating Current and Rectifier Voltage Stress	K.-W. Kim, J.-K. Han, B.-H. Lee, and G.-W. Moon	2668
A Multiphase Resonance-Based Boosting Rectifier With Dual Outputs for Wireless Power Transmission	J. Lim, B. Lee, and M. Ghovanloo	2680
Analysis and Design of an <i>RC</i> Snubber Circuit to Suppress False Triggering Oscillation for GaN Devices in Half-Bridge Circuits	J. Chen, Q. Luo, J. Huang, Q. He, P. Sun, and X. Du	2690
A Fully Soft Switched Point-of-Load Converter for Resource Constraint Drone Applications	Y. Qu, W. Shu, and J. S. Chang	2705
A Hybrid Cockcroft–Walton/Dickson Multiplier for High Voltage Generation	S. Park, J. Yang, and J. Rivas-Davila	2714
A Family of Step-Up Series–Parallel Dual Resonant Switched-Capacitor Converters With Wide Regulation Range	W. Xie, S. Li, Y. Zheng, K. M. Smedley, J. Wang, Y. Ji, and J. Yu	2724
An Overview and Comprehensive Comparative Evaluation of Current-Fed-Isolated-Bidirectional DC/DC Converter ...	X. Pan, H. Li, Y. Liu, T. Zhao, C. Ju, and A. K. Rathore	2737
A Novel Integrated Step-Up Hybrid Converter With Wide Conversion Ratio	S. Marconi, G. Spiazzi, A. Bevilacqua, and M. Galvano	2764
<i>Power Electronic Drives</i>		
An Effective Charging-Torque Elimination Method for Six-Phase Integrated On-Board EV Chargers	Y. Xiao, C. Liu, and F. Yu	2776
A Simple Reluctance Calibration Strategy to Obtain the Flux-Linkage Characteristics of Switched Reluctance Machines	L. Ge, I. Ralev, A. Klein-Hessling, S. Song, and R. W. De Doncker	2787
PMSM Open-Phase Fault-Tolerant Control Strategy Based on Four-Leg Inverter	X. Zhou, J. Sun, H. Li, M. Lu, and F. Zeng	2799
A Simple Voltage Modulator Scheme for Torque Ripple Minimization in a Permanent Magnet Brushless DC Motor ...	R. K. Achary, S. Durgaprasanth, C. Nagamani, and G. S. Ilango	2809
An Online Global Fault-Tolerant Control Strategy for Symmetrical Multiphase Machines With Minimum Losses in Full Torque Production Range	J. Sun, Z. Liu, Z. Zheng, and Y. Li	2819
A Novel Current Solution for Torque Ripple Suppression of BLDCM With Minimal Rotor Eddy-Current Loss	H. Zhang, M. Dou, and L. Yan	2831
A Carrier-Based PWM Control Strategy for Three-Level NPC Inverter Based on Bootstrap Gate Drive Circuit	J.-H. Jung, H.-K. Ku, W.-S. Im, and J.-M. Kim	2843
Design of Passive Common-Mode Attenuation Methods for Inverter-Fed Induction Motor Drive With Reduced Common-Mode Voltage PWM Technique	K. Jayaraman and M. Kumar	2861
Predictive Torque Control and Capacitor Balancing of a SiC-Based Dual T-Type Drive System	A. Salem, M. Mamdouh, and M. A. Abido	2871
FCS-MPC-Based Fault-Tolerant Control of Five-Phase IPMSM for MTPA Operation	G. Liu, C. Song, and Q. Chen	2882
Dual Antiovervoltage Control Scheme for Electrolytic Capacitorless IPMSM Drives With Coefficient Autoregulation	D. Ding, G. Zhang, G. Wang, and D. Xu	2895
<i>Passive Components and Materials</i>		
Planar Trigger Switch and Its Integrated Chip With Exploding Foil Initiator Based on Low-Temperature Cofired Ceramic	Q. Zhang, C. Xu, P. Zhu, G. Yang, Z. Yang, and R. Shen	2908

Single-Turn Air-Core Coils for High-Frequency Inductive Wireless Power Transfer	<i>G. Zulauf and J. M. Rivas-Davila</i>	2917
<i>Discrete and Integrated Semiconductors</i>		
Simple and Affordable Method for Fast Transient Measurements of SiC Devices	<i>D. Garrido, I. Baraia-Etxaburu, J. Arza, and M. Barrenetxea</i>	2933
Pulsed Power Modulator With Active Pull-Down Using Diode Reverse Recovery Time	<i>S.-M. Park and H.-J. Ryoo</i>	2943
Electrothermal Cosimulation for Predicting the Power Loss and Temperature of SiC MOSFET Dies Assembled in a Power Module	<i>Y. Nakamura, T. M. Evans, N. Kuroda, H. Sakairi, Y. Nakakohara, H. Otake, and K. Nakahara</i>	2950
Analysis and Design of a Novel Thyristor-Based Circuit Breaker for DC Microgrids	<i>Z. Zhou, M. Chen, J. Jiang, D. Zhang, S. Ye, and C. Liu</i>	2959
A True-Random-Number-Based Pseudohysteresis Controller for Buck DC-DC Converter in High-Security Internet-of-Everything Devices	<i>W.-H. Yang, S.-W. Chiu, C.-C. Kuo, Y.-T. Lin, Y.-J. Lai, H.-W. Chen, Y.-S. Ma, K.-H. Chen, Y.-H. Lin, S.-R. Lin, and T.-Y. Tsai</i>	2969
An Electrical Transient Model of IGBT-Diode Switching Cell for Power Semiconductor Loss Estimation in Electromagnetic Transient Simulation	<i>Y. Xu, C. N. M. Ho, A. Ghosh, and D. Muthumuni</i>	2979
Electroluminescence-Based Junction Temperature Measurement Approach for SiC Power MOSFETs	<i>J. Winkler, J. Homoth, and I. Kallfass</i>	2990
High Off-State Impedance Gate Driver of SiC MOSFETs for Crosstalk Voltage Elimination Considering Common-Source Inductance	<i>C. Li, Z. Lu, Y. Chen, C. Li, H. Luo, W. Li, and X. He</i>	2999
<i>Diagnostics in Power Electronics</i>		
Voltage Difference Residual-Based Open-Circuit Fault Diagnosis Approach for Three-Level Converters in Electric Traction Systems	<i>C. Yang, W. Gui, Z. Chen, J. Zhang, T. Peng, C. Yang, H. R. Karimi, and S. X. Ding</i>	3012
A DC-Flux-Injection Method for Fault Diagnosis of High-Resistance Connection in Direct-Torque-Controlled PMSM Drive System	<i>J. Hang, H. Wu, S. Ding, W. Hua, and Q. Wang</i>	3029
A Two-Step Strategy for Online Fault Detection of High-Resistance Connection in BLDC Motor	<i>H. Wang, S. Lu, G. Qian, J. Ding, Y. Liu, and Q. Wang</i>	3043
Design, Analysis, and Discussion of Short Circuit and Overload Gate-Driver Dual-Protection Scheme for 1.2-kV, 400-A SiC MOSFET Modules	<i>K. Sun, J. Wang, R. Burgos, and D. Boroyevich</i>	3054
<i>Control in Power Electronics</i>		
Double Hidden Layer Output Feedback Neural Adaptive Global Sliding Mode Control of Active Power Filter	<i>J. Fei and Y. Chu</i>	3069
A Hybrid Control of a Semidual-Active-Bridge DC-DC Converter With Minimum Current Stress	<i>M. Lu, X. Li, and G. Chen</i>	3085
A Synchronous Reference Frame PI Current Controller With Dead Beat Response	<i>C. A. Busada, S. G. Jorge, and J. A. Solsona</i>	3097
Multimode Smooth Switching Strategy for Eliminating the Operational Dead Zone in Noninverting Buck-Boost Converter	<i>L. Jia, X. Sun, Z. Zheng, X. Ma, and L. Dai</i>	3106
Phase Reshaping via All-Pass Filters for Robust <i>LCL</i> -Filter Active Damping	<i>W. Yao, Y. Yang, Y. Xu, F. Blaabjerg, S. Liu, and G. Wilson</i>	3114
Ripple Voltage Injection to Mitigate Limit Cycle in Digitally Controlled Intermediate Bus Architectures	<i>R. Roy, V. I. Kumar, and S. Kapat</i>	3127
Design and Evaluation of a Control Scheme for the Hybrid Cascaded Converter in Grid Applications	<i>Y.-C. Su, P.-H. Wu, and P.-T. Cheng</i>	3139
Overview and Comparison of Modulation and Control Strategies for a Nonresonant Single-Phase Dual-Active-Bridge DC-DC Converter	<i>N. Hou and Y. W. Li</i>	3148
Sampled-Data Modeling for Wireless Power Transfer Systems	<i>J. Tang, S. Dong, C. Cui, and Q. Zhang</i>	3173
Steady-State Error Suppression and Simplified Implementation of Direct Source Current Control for Matrix Converter With Model Predictive Control	<i>J. Lei, S. Feng, P. Wheeler, B. Zhou, and J. Zhao</i>	3183
Variable-Width Hysteretic Analog Control for QSW-ZVS and TCM Source/Sink Converters	<i>A. Vazquez, K. Martin, M. Arias, and J. Sebastian</i>	3195

Sensorless Stabilization Technique for Peak Current Mode Controlled Three-Level Flying-Capacitor Converters	3208
..... <i>E. Abdelhamid, L. Corradini, P. Mattavelli, G. Bonanno, and M. Agostinelli</i>	
Floquet-Theory-Based Small-Signal Stability Analysis of Single-Phase Asymmetric Multilevel Inverters With SRF Voltage Control	3221
..... <i>Y. Han, X. Lin, X. Fang, L. Xu, P. Yang, W. Hu, E. A. A. Coelho, and F. Blaabjerg</i>	
A Digital Low-Dropout Regulator With Autotuned PID Compensator and Dynamic Gain Control for Improved Transient Performance Under Process Variations and Aging	3242
..... <i>A. Singh, M. Kar, V. C. K. Chekuri, S. K. Mathew, A. Rajan, V. De, and S. Mukhopadhyay</i>	
A Unified State-Space Modeling Method for a Phase-Shift Controlled Bidirectional Dual-Active Half-Bridge Converter <i>H. Shi, K. Sun, H. Wu, and Y. Li</i>	3254
SiC-Based 4 MHz 10 kW ZVS Inverter With Fast Resonance Frequency Tracking Control for High-Density Plasma Generators..... <i>S.-H. Park, Y.-H. Sohn, and G.-H. Cho</i>	3266
Comparison of Basic Inductive Power Transfer Systems With Linear Control Achieving Optimized Efficiency	3276
..... <i>Z. Huang, S.-C. Wong, and C. K. Tse</i>	
Minimizing Total Harmonic Distortion of a Two-Level Voltage Source Inverter Using Optimal Third Harmonic Injection <i>S. Albatran, A. R. Al Khalaleh, and A. S. Allabadi</i>	3287
Modified Second-Order Generalized Integrators With Modified Frequency Locked Loop for Fast Harmonics Estimation of Distorted Single-Phase Signals	3298
..... <i>C. M. Hackl and M. Landerer</i>	
Suppression of DC-Link Current Ripple for Modular Multilevel Converters Under Phase-Disposition PWM	3310
..... <i>F. Deng, Q. Yu, Q. Wang, R. Zhu, X. Cai, and Z. Chen</i>	
